Serial No. 10/805,352

## IN THE CLAIMS:

The text of all pending claims, (including withdrawn claims) is set forth below. Cancelled and not entered claims are indicated with claim number and status only. The claims as listed below show added text with <u>underlining</u> and deleted text with <u>strikethrough</u>. The status of each claim is indicated with one of (original), (currently amended), (cancelled), (withdrawn), (new), (previously presented), or (not entered).

1. (CURRENTLY AMENDED) A bread maker comprising:

a main body;

an oven having a surface coated with a ceramic material, and being accommodated in the main body;

a door provided in a front of the main body to open and close the oven; and an upper heater and a lower heater respectively disposed in upper and lower parts of the oven and the door.

wherein the upper heater and lower heater are fixed in upper and lower parts of the oven and the door,

wherein the upper heater is sloped downward towards a center of the oven, wherein the oven comprises:

a rear part placed inside the main body at a rear of the main body, and side parts detachably connected to the rear part and placed at left and right sides inside the main body, respectively.

## 2-4. (CANCELLED)

- 5. (PREVIOUSLY PRESENTED) The bread maker according to claim 1, wherein the oven comprises an upper bending part attached to the upper part of the rear part and a lower bending part attached to the lower part of the rear part.
  - 6. (ORIGINAL) The bread maker according to claim 5, further comprising:
  - a baking tray to hold and bake bread dough; and

baking tray rails respectively connected to opposite sides of the lower bending part to support the baking tray.

Serial No. 10/805,352

7. (CURRENTLY AMENDED) An oven for a bread maker having a main body, the oven comprising:

a door provided in a front of the main body to open and close the oven;

a rear part detachably placed inside the main body at a rear of the main body;

side parts detachably connected to opposite sides of the rear part, respectively;

an upper heater and a lower heater respectively disposed at an upper part and a lower part of the oven, and

wherein the upper heater and lower heater are fixed in upper and lower parts of the oven and the door; and

a ceramic material coating a surface of the oven to provide heat resistance, wherein the upper heater is sloped downward to enhance heating efficiency.

- 8. (ORIGINAL) The oven of claim 7, wherein the ceramic material allows the surface of the oven to be easily cleaned.
- 9. (ORIGINAL) The oven of claim 7, wherein the ceramic material prevents the surface of the oven from becoming deformed due to high temperatures.
  - 10. (CANCELLED)
- 11. (ORIGINAL) The oven of claim 7, wherein the rear part and the side parts are detached from the oven to allow individual replacement.
- 12. (CURRENTLY AMENDED) An oven for a bread maker having a main body, the oven comprising:

a door provided in a front of the main body to open and close the oven;

a rear part detachably placed inside the main body at a rear of the main body;

side parts detachably connected to opposite sides of the rear part, respectively; and

an upper heater and a lower heater respectively disposed at an upper part and a lower part of the oven, the upper heater being sloped downward towards a center of the oven to enhance heating efficiency,

wherein the upper heater and lower heater are fixed in upper and lower parts of the oven and the door.

- 13. (PREVIOUSLY PRESENTED) The bread maker according to claim 1, wherein a distance between the upper heater and the center of the oven decreases in a downward direction of the upper heater.
  - 14. (CANCELLED)